



WINTER

CATALOGUE



ROYAL GROUP
TRUST CO.

Beyond Creativity
Stylish, Elegant, Innovation



STAND CARBON HEATERS



Carbon Flex 2000

Black Stand Heater

235-22150

Specifications:

- Carbon fiber tube heating element.
- Built-in electronic tip-over switch.
- Timer function (up to 8 hours).
- IP45 Waterproof Rating.
- Remote control.
- Power: 2000W, V: 220-240V, 50/60Hz.



2000W



IP45
Waterproof



Safety
Thermal



8 Heating
Levels



Carbon Flex 2000

Green Stand Heater

235-22151

Specifications:

- Carbon fiber tube heating element.
- Built-in electronic tip-over switch.
- Timer function (up to 8 hours).
- IP45 Waterproof Rating.
- Remote control.
- Power: 2000W, V: 220-240V, 50/60Hz.



2000W



IP45
Waterproof



Safety
Thermal



8 Heating
Levels


Freeze

Ends Here





STAND CARBON HEATERS



Carbon Glow 2000

Black Stand Heater

235-22111

Specifications

- Two power settings.
- Water protected (IP65).
- Remote control.
- Portable stand type without oscillation.
- Power: 2000W, one carbon fiber tube.



2000W




IP45
Waterproof



Safety



Remote
Control



Carbon Glow 2000

Silver Stand Heater

235-22110

Specifications

- Two power settings.
- Water protected (IP65).
- Remote control.
- Portable stand type without oscillation.
- Power: 2000W, one carbon fiber tube.



2000W



1 Heater



Safety



Remote
Control



PTC STAND HEATER

ALTO Heater

235-22152

Specifications

- PTC Heating + Fan.
- Remote control.
- Digital touch buttons.
- Safety tip-over switch with handle.
- Voltage: 220~240V/50Hz, 1200/2000W.



2000W



PTC Heating
& Fan



Digital



Safety





QUARTZ HEATERS

Elegant Heater

235-20220

Specifications

- 4 Tubes.
- Auto tip - over protection.
- 2 Heats settings: 1200W/2400W.
- Voltage: 220~240v/50Hz, 2400W.



2400W



4 Heaters



Safety





QUARTZ HEATERS



Glare 4+2 Heater

235-20622

Specifications

- Safety tip-over switch.
- Size: 63x21.5x50.5 cm.
- Humidifier.
- Heat Settings: 800W / 900W / 1500W / 1800W / 2400W.
- Voltage: 220-240V,50Hz.



2400W



4+2
Heaters



Safety



Glare 4+2 Heater

235-20621

Specifications

- Safety tip-over switch.
- Size: 63x21.5x50.5 cm.
- Humidifier.
- Heat Settings: 800W / 900W / 1500W / 1800W / 2400W.
- Voltage: 220-240V,50Hz.



2400W



4+2
Heaters



Safety



QUARTZ HEATERS

Solarlux Heater

235-20406

Specifications

- Front side and top side heating.
- Front side, 3 lamps, 1800W.
- Top side, 1 lamp, 600W.
- Heat settings: 600W/1200W/1800W/2400W.
- Portable with handle. And easy to move.
- Safety tip-over switch.
- Voltage: 220-240V, 50Hz.



2400W



3+1
Haters



Safety





QUARTZ HEATERS



Pure 3+1 Heater

235-20404

Specifications

- Safety tip-over switch
- 4 Quartz tubes
- Size: 57.5x18x43.5 cm
- Voltage: 220~240v/50Hz.
- Heat Settings: 500W/1000W/1500W/2000W



2000W



3+1
Heaters



Safety



Pure 3+1 Heater

235-20405

Specifications

- Safety tip-over switch
- 4 Quartz tubes
- Size: 57.5x18x43.5 cm
- Voltage: 220~240v/50Hz.
- Heat Settings: 500W/1000W/1500W/2000W



2000W



3+1
Heaters



Safety



QUARTZ HEATERS



Radiant Heater

235-20407

Specifications

- Locker-style body and larger reflector for enhanced heat coverage.
- Front side: 3 quartz lamps 3 Power levels: 800W/1600W/2400W.
- Thermal fuse for overheat protection.
- Portable design with built-in handle.
- Voltage: 220~240v/50Hz.



2400W



3 Heaters



Safety



Flow 4+2 with Fan Heater

235-20620

Specifications

- 6 Quartz heating elements (2 top tubes + 4 front tubes).
- Fan.
- Safety grill.
- Safety switch.
- 3 Heating sets.
- Thermostat control.
- Good quality wheels.
- Voltage: 230~240v/50Hz 2400W.



2400W



4+2 Heater



Fan



Safety



QUARTZ HEATERS

NOVA Heater

235-20607

Specifications

- Front side & top side heating.
- Front side, 2 lamps, 1200W.
- Top side, 2 lamps, 1200W.
- 4 Heat settings: 600W/1200W/1800W/2400W.
- Portable with handle & easy to move.
- Safety tip-over switch.
- Voltage: 220~240V/50Hz.



2400W



2+2
Heaters



Safety





QUARTZ HEATERS



2+2 Grey Heater

235-20606

Specifications

- 4 Tubes.
- Safety tip over switch.
- Long and equably heating.
- Voltage: 220~240v/50Hz, 2000W.



2000W



2+2
Heaters



Safety



2+2 Black Heater

235-20605

Specifications

- 4 Tubes.
- Safety tip over switch.
- Long and equably heating.
- Voltage: 220~240v/50Hz, 2000W.



2000W



2+2
Heaters



Safety





MINI QUARTZ HEATERS



2+2 Burgundy Mini Heater

235-20401

Specifications

- 4 Tubes.
- 4 Castors.
- Safety tip over switch.
- Voltage: 220~240v/50Hz, 2000W.



2000W



2+2 Heaters



Safety



2+2 Black Mini Heater

235-20402

Specifications

- 4 Tubes.
- Safety tip over switch.
- Long and equably heating.
- Voltage: 220~240v/50Hz, 1800W.



2000W



2+2 Heaters



Safety



2+2 Silver Mini Heater

235-20400

Specifications

- 4 Tubes.
- Safety tip over switch.
- Long and equably heating.
- Voltage: 220~240v/50Hz, 2000W.



2000W



2+2 Heaters



Safety



CARBON HEATERS



Nova Carbon Heater

235-20216

Specifications

- Power: 2400W.
- High-efficiency.
- Tip-over protection switch.
- Carbon fiber heating element.
- Energy-saving performance.
- Mechanical knobs (Low / High settings).
- Voltage: 220~240v/50Hz.



2400W



Carbon Heaters



Safety



Lantern Carbon Heater

235-20215

Specifications

- 2 Carbon tubes .
- Carbon fiber heating element.
- 2 Heating settings 1000/2000W.
- Safety tip over switch With handle.
- Voltage: 220~240v/50Hz.



2000W



Carbon Heaters



Safety



CERMAIC HEATERS



Ceramic Heater

235-20110

Specifications

- 3 Ceramic heating elements.
- 3 Heating sets.
- Safety switch.
- Safty grill.
- Handle to carry.
- Voltage: 230~240v/50Hz 2100W.



2100W



3 Heaters



Safety



Ceramic Mini Heater

235-20108

Specifications

- 2 Ceramic tubes.
- 2 Heating settings.
- Safety tip-over switch.
- Voltage: 220~240v/50Hz 2000W.



2000W



2 Heaters



Safety



FIRE PLACES

Electric FirePlace Heater

127_{cm}: 235-24121 | 180_{cm}: 235-24122

Specifications

- Touch button, remote control & WiFi-enabled.
- Realistic resin logs, light-transmitting stones.
- Two power levels 2000W with hot air output.
- Tempered glass with 98% flame.
- 18–35°C (°C/°F switchable), 9-hour timer.
- 12 flame colors, 5 brightness levels.
- Installation: Built-in/embedded design.
- Power Supply: 220–240V ~ 50Hz.



2000W



Wifi App



Safety



Remote
Control



1270x128x450 cm
1800x128x450 cm



FIRE PLACES

Electric FirePlace Heater

125cm: 235-24126 | 150cm: 235-24127

Specifications

- Touch button, remote control & WiFi-enabled.
- Realistic resin logs, light-transmitting stones.
- Two power levels 2000W with hot air output.
- Tempered glass with 98% flame.
- 18–35°C (°C/°F switchable), 9-hour timer.
- 12 flame colors, 5 brightness levels.
- Installation: Built-in/embedded design.
- Power Supply: 220–240V ~ 50Hz.



2000W



Wifi App



Safety



Remote
Control



1250x320x555 mm
1500x320x555 mm



FIRE PLACES



FlameGlow Elegance Heater

235-24125

Specifications

- Freestanding style.
- Real log flame effect.
- Black cast effect finish.
- Flame effect can be used independently.
- 2 heat settings option.
- Adjustable thermostat control.
- Voltage: 220~240v/50Hz.



2000W



Dual
Heating



Safety



FlameGlow Luxe Heater

235-24100

Specifications

- Quartz tube heating element.
- Freestanding style.
- Real log flame effect.
- Flame effect can be used independently.
- 3 heat settings option.
- Remote control including on/off, dimmer, timer, temperature and heat settings.



1800W



3 Heating



Safety



Remote
Control



FIRE PLACES



FlameGlow Luxe Heater

235-24106

Specifications

- Freestanding style.
- Real log flame effect.
- Flame effect can be used independently.
- 2 Heat settings option.
- Remote control including on/off, dimmer, timer, temperature and heat settings.
- Voltage: 220~240v/50Hz.



1800W



Heating



Safety



Remote
Control



FlameGlow Luxe Heater

235-24105

Specifications

- Freestanding style.
- Real log flame effect.
- Flame effect can be used independently.
- 2 Heat settings option.
- Remote control including on/off, dimmer, timer, temperature and heat settings.
- Voltage: 220~240v/50Hz.



1800W



Heating



Safety



Remote
Control





QUARTZ & FIRE PLACES



Prime Heater

235-24130

Specifications

- Power: 2400W.
- 2+2 elements Heating Elements.
- Safety switch.
- Thermostat control.
- Voltage: 230V, 50–60Hz.



2400W



2+2
Heaters



Safety



Cove Heater

235-24107

Specifications

- Power: 1800W.
- Heat Settings: 800W/1200W/1800W.
- 3 Quartz Heating Elements.
- Fireplace décor.
- Voltage: 230V, 50–60Hz.



1800W



3 Heating



Safety



Quartz

Beat the Freeze






QUARTZ TUBE HEATERS

Quartz Tube Heater

235-21120



2000W



1 Heater



Safety


Specifications:

- One power setting 2000W .
- Adjustable thermostat control.
- Aluminium housing and plastic cover.
- Wall-mounted infrared heater
- When installation is required.
- Distance from the ground 180cm above.
- Distance from the ceiling 50cm above.
- Voltage: 220 - 240V, ~ 50 / 60 Hz, 2000W.



Thermo Tube Heater

235-21125



2000W



1 Heater



Safety

Specifications:

- Golden tube.
- IP65.
- No LED light.
- High rated aluminum reflector.
- 3 setting power : 750W/1500W/ 2000W.
- Anodized extruded aluminum alloy housing.
- Mechanical rocker switch & remote control.
- Voltage: 220 - 240V, ~ 50 / 60 Hz, 2000W.



Bathroom Heater

235-21045



1200W



2 Heaters



Safety

Specifications:

- 1 Neon tube.
- Safety tip over switch.
- Water splash proof IP34.
- Voltage: 220~240v/50Hz, 600/1200W.





STANDS FOR HEATERS



Cross Stand

Adjustable

235-21100

Specifications

- Aluminum stand.
- Height from (110-180) cm.



Tripod Stand

Adjustable

235-21110

Specifications

- Aluminum stand.
- Height from (110-180) cm.





HALO HEATERS



Haloheat 3000 Stand Heater

235-40110

Specifications

- Heater body made of aluminum, with a stainless-steel pole.
- Two Halogen Heating elements.
- Rocker switch control.
- Height: (1880 mm).
- Dia: (600mm).
- Voltage: 220~240v/50Hz.



3000W



IP34
Waterproof



2 Halogen
Heaters



Safety



Haloheat 3000 Heater

235-40111

Specifications

- Heater body made of aluminum, with a stainless-steel pole.
- Two Halogen Heating elements.
- Rocker switch control.
- Height: (1880 mm).
- Dia: (600mm).
- Voltage: 220~240v/50Hz.



3000W



IP34
Waterproof



2 Halogen
Heaters



Safety



Chase The Chill





BLANKETS HEATER



Single Blanket Heater

235-50110

Specifications

- 100% polyester.
- Size: 160x80cm.
- 2 Heating settings.
- Detachable controller.
- Overheating protection.
- Voltage: 220~240v/50Hz, 60W.



60W



2 Heaters



Safety



Double Blanket Heater

235-50210

Specifications

- 100% polyester.
- Size: 160x140cm.
- 2 Heating settings.
- Detachable controller.
- Overheating protection.
- Voltage: 220~240v/50Hz, 60x2W.



60x2W



2 Heaters



Safety



BLANKETS HEATER



Single Blanket

With Timer Heater

235-50120

Specifications

- 100% polyester.
- Size: 160x80cm.
- Detachable controller.
- 5 temperature settings.
- Led-100D controller 1-5.
- Overheating protection.
- 1-10 hours timer function.
- Voltage: 230V~/50Hz, 60W.



60W



5 Heaters



Safety



Double Blanket

With Timer Heater

235-50220

Specifications

- 100% polyester.
- Size: 160x140cm.
- Detachable controller.
- 5 temperature settings.
- Led-100D controller 1-5.
- Overheating protection.
- 1-10 hours timer function.
- Voltage: 230V~/50Hz, 60x2W.



60x2W



5 Heaters



Safety



OIL RADIATORS

Digital Oil Radiator

235-30135

Specifications

- 13 Fins.
- Black color.
- Sensor touch control.
- Over heat protection.
- Large heating surface.
- Castors for easy moving.
- Voltage: 220~240V, 50/60Hz, 2500W.



2500W



Remote Control



13 Fins



Safety



Remote Control





OIL RADIATORS



42^{QP}

Mechanical Oil Radiator

235-30105

Specifications

- 9 Fins.
- Black color.
- Panel oil heater.
- Over heat protection.
- Large heating surface.
- Castors for easy moving.
- Voltage: 220~240v, 50/60Hz, 2000W.



2000W



9 Fins



Safety



33^{QP}

Oil Radiator

235-30130

Specifications

- 13 Fins.
- 3 power settings
- clothes rack
- humidity box
- Over heat protection
- Large heating surface
- Castors for easy moving.
- Voltage: 220~240v, 50/60Hz, 2600W.



2600W



13 Fins



Safety



HALOGEN HEATER

Halogen Heater

235-20106

Specifications

- 3 Halogen tubes.
- 3 Heating settings, 400/800/1200W.
- Safety tip-over switch.
- Voltage: 220~240v/50Hz, 1200W.



1200W



3 Heaters



Safety





AIR HEATERS



Convection Heater

235-31120

Specifications

- Freestanding.
- Indicator light.
- 3 Heating settings.
- Rotary power switch.
- Safety thermal cutout.
- Voltage: 220~240V/50Hz, 2000W.



2000W



Turbo
Fan



Safety



Spreader Heater

235-31110

Specifications

- 2 Heating sets.
- Overheat protection.
- adjustable thermostat.
- Voltage: 220~240v/50Hz, 2000W.



2000W



2 Sets



Safety





ELECTRIC WATER HEATERS

Electric Water Heater

230-34100

Specifications

- Electric Current: 27-0A.
- LED temperature display.
- Waterproof Degree: IPX4.
- Rated water flow: 6-2 Liter/min.
- Stainless steel heating element.
- Hydraulic Pressure: 0.6-0.02 MPa.
- Over Temperature protection: 55°C.
- Tempered glass panel material + ABS.
- Voltage: 230V~, 60/50Hz, 6000W.



Up to
6000W




2-6
Liters



Led
Display



Safety





GAS WATER HEATERS



Gas Water Heater

230-34200

Specifications

- Economic.
- Elegant design.
- Anti-freezing device.
- Flame out protection.
- Water volume regulator.
- Water regulating device.
- Over pressure protection.
- Water gas leakage safety.



6 Liters



Economic



Safety



Gas Water Heater

230-34220

Specifications

- Economic.
- Elegant design.
- Anti-freezing device.
- Flame out protection.
- Water volume regulator.
- Water regulating device.
- Over pressure protection.
- Water gas leakage safety.



12 Liters



Economic



Safety





GAS HEATERS



Safe Flame Gas Heater

230-31109

Specifications

- Piezo electric ignition.
- Equipped with oxygen depletion sensor & flame failure device.
- Three power settings: 1.5 / 2.8 / 4.2 kW.
- Excellent quality ceramic plates.



LPG



3 Heaters



Oxygen
Sensor



Safe Flame Gas Heater

230-31108

Specifications

- Piezo electric ignition.
- Equipped with oxygen depletion sensor & flame failure device.
- Three power settings: 1.5 / 2.8 / 4.2 kW.
- Excellent quality ceramic plates.



LPG



3 Heaters



Oxygen
Sensor





GAS HEATERS



Safe Flame Gas Heater

230-31111

Specifications

- Piezo electric ignition.
- Equipped with oxygen depletion sensor & flame failure device.
- Three power settings: 1.5 / 2.8 / 4.2 kW.
- Excellent quality ceramic plates.



LPG



3 Heaters



Oxygen
Sensor



Normal Gas Heater

230-31110

Specifications

- Iron base board 2 kg.
- ODS anti tilt safety device.
- Piezo electric ignition mode.
- Body thickness 0.5 mm and 0.8 mm.
- 4 Wheels.



LPG



3 Heaters



Oxygen
Sensor





GAS & ELECTRICAL HEATERS



Super Gas Heater

230-31115

Specifications

- Gas power: 1.3 - 4.2 KW.
- Pluser ignition with battery.
- Loading quantity: 540/40' Hq.
- Gas with anti-tilt saftey device.
- ODS (Oxygen Depletion Sensor).
- Back space for gas bottle, 8-15 KG.
- Electric Power: 220~240v, 50/60Hz, 400W.



LPG



3+2
Gas & Electric



Safety



Gas Plus Heater

230-31120

Specifications

- Gas power: 1.3 - 4.2 KW.
- Radiant heating system.
- High thermal efficiency
- Piezoelectric ignition.
- Back space for gas bottle, 8-15 KG.
- Equiped with oxygen depletion system & flame failure device.
- Electric Power: 220~240v, 50/60Hz.



LPG



3+2
Gas & Electric



Safety



GAS HEATERS



Radiant 4 Gas Heater

230-31210

Specifications

- 4 Radiant.
- Curve phase.
- ODS anti tilt safety device.
- Pulsar ignition with battery.



LPG



4 Heaters



Safety



Radiant 3 Gas Heater

230-31205

Specifications

- 3 Radiant.
- Electric switch.
- ODS anti tilt safety device.
- Pulsar ignition with battery.



LPG



3 Heaters



Safety



GAS HEATERS



Radiant 4 Bronze Gas Heater

230-31211

Specifications

- 4 Radiant.
- Curve phase.
- ODS anti tilt safety device.
- Pulser ignition with battery.



LPG



4 Heaters



Safety



Radiant 3 Bronze Gas Heater

230-31206

Specifications

- 3 Radiant.
- Electric switch.
- ODS anti tilt safety device.
- Pulser ignition with battery.



LPG



3 Heaters



Safety



GAS HEATERS

Power Flame Gas Heater

230-31020

Specifications

- Pulse electric ignition
- Equipped with oxygen depletion sensor and flame failure device
- Three gas heating power settings: 4.2 / 2.8 / 1.5 kW
- Excellent quality ceramic plates
- Used with LPG / Butane / Propane
- Battery ignition



LPG



3 Heaters



Safety





GAS HEATERS



Camping Gas Heater & Cooker

230-31010

Specifications

- Ignition: Piezo-electric ignition mode
- Power: 3.6KW
- Gas Consumption: <math><0.13\text{m}^3/\text{h}</math>
- Heating Area: 8-12m²
- Product Size: 360×310×360 mm
- Net Weight: 3.3 kg



LPG



Heating
3.6KW



Area
8-12m²



Camping 2 in 1 Heater

230-31006

Specifications

- Ignition: Piezoelectric ignition
- Size: Ø27cm × 33.5cm
- Sleeve Size: 280×280×375mm
- Heating Capacity: 3.5 KW



LPG



3.5KW



Safety



Camping 2 in 1 Heater

230-31005

Specifications

- Ignition: Piezoelectric ignition
- Size: Ø27cm × 33.5cm
- Sleeve Size: 280×280×375mm
- Heating Capacity: 3.5 KW



LPG



3.5KW



Safety



GAS HEATERS



Pyramid Gas Heater

230-32411

Specifications

- Total Height: 2230 mm.
- Reflector: 465 × 465 × 47 (H) mm.
- Lower Support: 880 mm × 4 pcs.
- Upper Support: 1320 mm × 4 pcs.
- Glass Tube: Dia. 1290 × 900 mm.
- Base: 530 × 530 mm.
- Gas Power: 13 KW; Fuel: 945 g/hr.
- Housing: Stainless steel.
- Net Weight: 22 Kgs, Gross Weight: 26 Kgs.
- Product Size: 530 × 530 × 2230 mm



LPG



Heating
13KW



Safety



Pyramid Gas Heater

230-32410

Specifications

- Total Height: 2230 mm.
- Reflector: 465 × 465 × 47 (H) mm.
- Lower Support: 880 mm × 4 pcs.
- Upper Support: 1320 mm × 4 pcs.
- Glass Tube: Dia. 1290 × 900 mm.
- Base: 530 × 530 mm.
- Gas Power: 13 KW; Fuel: 945 g/hr.
- Housing: Stainless steel.
- Net Weight: 22 Kgs, Gross Weight: 26 Kgs.
- Product Size: 530 × 530 × 2230 mm



LPG



Heating
13KW



Safety

ePLUG





Blaze Heater

285-18106

Specifications

- 3 Ceramic heating elements.
- Safety switch.
- 220-240~50/60Hz , 2100W.



2100W



3 Heaters



Safety



Ceramic Heater

285-18100

Specifications

- 2 Ceramic heating elements.
- Safety switch.
- 220-240~50/60Hz , 1200W.



1200W




2 Heaters



Safety





ThermoWall Heater

285-18155

Specifications

- Adjustable thermostat control.
- Quartz tube heating element.
- Aluminum housing with plastic cover.
- Wall-Mounted infrared heater.
- 220-240~50/60Hz , 2000W.




2000W



1 Heaters



Safety



Wall Heater

285-18105

Specifications

- 2 Heating powers: 600/1200W.
- 2 Tubes.
- Pull chain control.
- 220~240v/50Hz, 1200W.



1200W



2 Heaters



Safety





Halogen Heater

285-18112

Specifications

- 3 Heating settings.
- 3 Halogen tubes.
- Safety.
- Voltage: 220~240v/50Hz, 400-1200W.



1200W



3 Heaters



Safety



Halogen Heater

285-18115

Specifications

- Tip over switch.
- 4 Halogen tubes.
- 4 Heating settings.
- 70 degree oscillation.
- 220~240v/50Hz, 2000W.



2000W




4 Heaters



Safety





Quartz Heater

285-18120

Specifications

- 4 Heating elements.
- 2 Heating sets.
- Safety switch.
- 220-240~50/60Hz , 800/1600W.



1600W



4 Heaters



Safety



Instant Water Heater

285-11050

Specifications

- Stainless steel heating element
 - Rated water flow: 2-6L/Min
 - Over Temperature protection: 55°C
- Power: 220~240 v 50/60 Hz, 6000W.



6000W



2-6
Liters



Digital
Display



Contact us

Factory Address:
P.O.Box 258 Al-Rameh Suburb
Hebron, Palestine P7190117

Mailing Address:
P.O.Box 51841
Jerusalem, IL 9711025

Tel: +970 2 22 19 800
Fax: +970 2 22 20 127
IL Tel: +972 73 381 6560

info@royal.ps
www.royal.ps



CUSTOMER SERVICE
1700 900 300