



SWIMMING POOL PRODUCTS



ROYAL GROUP
SANITARY WARE

Beyond Creativity
Stylish, Elegant, Innovation

SEAMLESS WATER ENDLESS RELAX



ROYAL GROUP
SANITARY WARE

UPVC

PRESSURE WATER SUPPLY SYSTEM

MATERIAL

U-PVC

- Polyvinylchloride
- Unplasticized

APPLICATION

- Underground infrastructure for pressure water supply
- Rain water drainage
- Swimming pools and fountains
- HVAC drainage system

COLOR

Gray & as customer requirement

PLUG AND CONNECT

Use PVC cement to connect and plug pipes and fittings

UPVC PIPES AND FITTINGS FOR PRESSURE WATER SUPPLY

SPECIFICATIONS

1. Working pressure up to 25 Bar.
2. Toxic free.
3. Light weight and easy to install.
4. Overload resistant.
5. Durability and longevity of use.
6. Resistant to chemicals, corrosion and wear.
7. Recyclable.
8. Long life period up to 50 years.

CERTIFICATES




NOMINAL DIAMETERS

OD(mm)	20	25	32	40	50	63	75	90	110
OD(inch)	0.75	1	1.25	1.5	2	2.5	3	3.5	4



- | | |
|--------------------------------|-------------------------------------|
| 1 Manufacturer. | 8 Palestinian standard certificate. |
| 2 Material. | 9 Date of production. |
| 3 Application. | 10 Time of production. |
| 4 Size (diameter x thickness). | 11 Palestinian standard. |
| 5 Nominal pressure. | 12 International standard. |
| 6 British standard. | 13 Item number. |
| 7 Max. Temperature. | 14 Production line. |



WATER PIPES



U-PVC PIPE FOR SWIMMING POOL

Item No.	Size(inch)	Size(mm)	Lenght(m)	PN(bar)
04-8618	3/4	20	5	20
04-8628	1	25	5	20
04-8338	1.25	32	5	10
04-8348	1.5	40	5	10
04-8358	2	50	5	10
04-8368	2.5	63	5	10
04-8378	3	75	5	10
04-8388	3.5	90	5	10
04-8398	4	110	5	10



U-PVC FLEXIBLE PIPE FOR SWIMMING POOL

Item No.	Size(inch)	Size(mm)	Lenght(m)
41-7101	3/4	20	25
41-7102	1	25	25
41-7103	1.25	32	25
41-7104	1.5	40	25
41-7105	2	50	25





U-PVC SOLVENT SOCKET ELBOW 45°

Item No.	Size(inch)	Size(mm)
25-1101	3/4	20
25-1102	1	25
25-1103	1.25	32
25-1104	1.5	40
25-1105	2	50
25-1106	2.5	63
25-1107	3	75
25-1108	3.5	90
25-1109	4	110



U-PVC SOLVENT SOCKET ELBOW 90°

Item No.	Size(inch)	Size(mm)
25-1201	3/4	20
25-1202	1	25
25-1203	1.25	32
25-1204	1.5	40
25-1205	2	50
25-1206	2.5	63
25-1207	3	75
25-1208	3.5	90
25-1209	4	110



U-PVC SOLVENT SOCKET TEE 90°

Item No.	Size(inch)	Size(mm)
25-1501	3/4	20
25-1502	1	25
25-1503	1.25	35
25-1504	1.5	40
25-1505	2	50
25-1506	2.5	63
25-1507	3	75
25-1508	3.5	90
25-1509	4	110



**U-PVC SOLVENT SOCKET
REDUCING TEE 90°**

Item No.	Size(inch)	Size(mm)
25-1653	2 - 1.25	50 - 32
25-1663	2.5 - 1.25	63 - 32
25-1675	3 - 2	75 - 50
25-1686	3.5 - 2.5	90 - 63
25-1696	4 - 2.5	110 - 63



U-PVC SOLVENT SOCKET TEE 45°

Item No.	Size(inch)	Size(mm)
25-1701	3/4	20
25-1702	1	25
25-1703	1.25	32
25-1704	1.5	40
25-1705	2	50
25-1706	2.5	63
25-1707	3	75
25-1708	3.5	90
25-1709	4	110



U-PVC SOLVENT SOCKET

Item No.	Size(inch)	Size(mm)
25-1801	3/4	20
25-1802	1	25
25-1803	1.25	35
25-1804	1.5	40
25-1805	2	50
25-1806	2.5	63
25-1807	3	75
25-1808	3.5	90
25-1809	4	110

WHERE'S WATER, THERE'S LIFE



**U-PVC MIXED FEMALE SOLVENT
THREAD SOCKET**

Item No.	Size
25-1821	20 mm - 1/2 inch
25-1822	25 mm - 3/4 inch
25-1823	32 mm - 1 inch
25-1824	40 mm - 1 1/4 inch
25-1825	50 mm - 1 1/2 inch
25-1826	63 mm - 2 inch



U-PVC REDUCING BUSH

Item No.	Size(inch)	Size(mm)
25-1921	1 - 3/4	25 - 20
25-1932	1.25 - 1	32 - 25
25-1943	1.5 - 1.25	40 - 32
25-1953	2 - 1.25	50 - 32
25-1954	2 - 1.5	50 - 40
25-1965	2.5 - 2	63 - 50
25-1975	3 - 2	75 - 50
25-1976	3 - 2.5	75 - 63
25-1987	3.5 - 3	90 - 75
25-1998	4 - 3.5	110 - 90



**U-PVC ADAPTOR BUSH SOLVENT
SOCKET MALE THREADED**

Item No.	Size
25-2154	50 mm - 1.5 inch
25-2155	50 mm - 2 inch
25-2165	63 mm - 2 inch



**U-PVC HEXAGON NIPPLE MALE
THREADED**

Item No.	Size(inch)
25-2200	1/2
25-2201	3/4
25-2202	1
25-2203	1 1/4
25-2204	1 1/2
25-2205	2
25-2206	3



U-PVC UNION WITH O-RING

Item No.	Size(inch)	Size(mm)
25-2301	3/4	20
25-2302	1	25
25-2303	1.25	32
25-2304	1.5	40
25-2305	2	50
25-2306	2.5	63
25-2307	3	75
25-2308	3.5	90
25-2309	4	110



**U-PVC UNION SOLVENT SOCKET
MALE THREADED EXTERIOR O-RING**

Item No.	Size
25-2453	50 mm - 1.5 inch
25-2455	50 mm - 2 inch
25-2465	63 mm - 2 inch





U-PVC 3-WAY MANIFOLD + 2 PLUGS

Item No.	Size(inch)	Size(mm)
25-2553	2	50
25-2563	2.5	63



U-PVC CAP

Item No.	Size(inch)	Size(mm)
25-2801	3/4	20
25-2802	1	25
25-2803	1.25	32
25-2804	1.5	40
25-2805	2	50
25-2806	2.5	63
25-2807	3	75
25-2808	3.5	90
25-2809	4	110



U-PVC FLANGE ADAPTOR

Item No.	Size(inch)	Size(mm)
25-3005	2	50
25-3006	2.5	63
25-3007	3	75
25-3008	3.5	90
25-3009	4	110



U-PVC BACKING FLANGE

Item No.	Size(inch)	Size(mm)
25-3105	2	50
25-3106	2.5	63
25-3107	3	75
25-3108	3.5	90
25-3109	4	110



U-PVC CHECK BALL VALVE WITH SPRING

Item No.	Size(inch)	Size(mm)
25-3505	2	50
25-3506	2.5	63



U-PVC WAFFER CHECK VALVE FLAP EPDM

Item No.	Size(inch)	Size(mm)
25-3517	3	75
25-3518	3.5	90
25-3519	4	110



U-PVC SWING CHECK VALVE

Item No.	Size(inch)	Size(mm)
25-3527	3	75
25-3528	3.5	90
25-3529	4	110



U-PVC BUTTERFLY SOCKET FLANGE KIT

Item No.	Size(inch)	Size(mm)
25-4207	3	75
25-4208	3.5	90
25-4209	4	110



U-PVC EPDM SEAT AND O-RINGS

Item No.	Size(inch)	Size(mm)
25-4297	3	75
25-4298	3.5	90
25-4299	4	110



U-PVC BALL VALVE CR SOLVENT SOCKET EPDM

Item No.	Size(inch)	Size(mm)
25-4101	3/4	20
25-4102	1	25
25-4103	1.25	32
25-4104	1.5	40
25-4105	2	50
25-4106	2.5	63
25-4107	3	75
25-4108	3.5	90
25-4109	4	110



U-PVC OPEN PIPE CLIPS

Item No.	Size(inch)	Size(mm)
25-5101	3/4	20
25-5102	1	25
25-5103	1.25	32
25-5104	1.5	40
25-5105	2	50
25-5106	2.5	63
25-5107	3	75
25-5108	3.5	90
25-5109	4	110




U-PVC BRIDLE CLAMP

Item No.	Size(inch)	Size(mm)
25-5205	2	50
25-5206	2.5	63
25-5207	3	75
25-5208	3.5	90
25-5209	4	110
25-5210	4.5	125
25-5211	5	140
25-5212	6	160
25-5213	8	200



PVC Pipe Cement

Item No.	Weight	Des
33-9211	1/2 kg	Heavy duty
33-9221	1 kg	Heavy duty



QUALITY SPEAKS

Water Pumps



DAB EUROSWM Pool Pump-1Phase

Item No.	HP	IN/OUT(INCH)
44-2573	1	2
44-2574	1.5	2
44-2576	2	2
44-2578	3	2



DAB EUROSWM Pool Pump-3Phase

Item No.	HP	IN/OUT(INCH)
44-2571	1	2
44-2575	1.5	2
44-2577	2	2
44-2579	3	2



SPERONI SWIMM Pool Pump-1Phase

Item No.	HP	IN/OUT(INCH)
44-2353	1	1.5
44-2354	1.5	2
44-2355	2	2



SPERONI SWIMM Pool Pump-3Phase

Item No.	HP	IN/OUT(INCH)
44-2364	1.5	2
44-2365	2	2
44-2366	3	2



TAIFU GP Drainage Pump - 1Phase

Item No.	HP	IN/OUT(INCH)
44-1101	0.55	1.5
44-1102	0.75	1.5
44-1103	1	1.5



SPERONI TS Drainage Pump - 1Phase

Item No.	HP	IN/OUT(INCH)
44-2101	0.55	1.25



DAB NOVA Drainage Pump - 1Phase

Item No.	HP	IN/OUT(INCH)
44-2601	0.3	1.25



DAB VERTY NOVA Drainage Pump - 1Phase

Item No.	HP	IN/OUT(INCH)
44-2605	0.28	1.25
44-2606	0.55	1.25

SWIMMING POOL



(WAVE)POWER STEEL OVAL POOL

Item No.	Size(m)	Water capacity(L)
132-02121	D2 x W3.05 x H0.84	3,668

Additional features:

1. filter pump, and chemconnect chemical dispenser.
2. Above ground pool is easy to set up and built to last.
3. Corrosion-resistant steel frame with seal & lock system for a sturdy and secure pipe connection.
4. The tritech liner is made of durable material that is reinforced for strength and puncture-resistance.





(VORTEX)STEEL PRO MAX ROUND POOL

Item No.	Size(m)	Water capacity(L)
132-02063	W 3.66 x H 1	9,150

Additional features:

1. filter pump and chemconnect chemical dispenser.
2. Above ground pool is easy to set up and built to last.
3. Corrosion-resistant steel frame with seal & lock system for a sturdy and secure pipe connection.
4. The tritech liner is made of durable material that is reinforced for strength and puncture-resistance.



(RIVER)STEEL PRO RECTANGULAR POOL

Item No.	Size(m)	Water capacity(L)
132-02043	D2.01 x W3 x H0.66	3,300



NOTE

Contact us

Factory Address:
P.O.Box 258 Al-Rameh Suburb
Hebron, Palestine P7190117

Mailing Address:
P.O.Box 51841
Jerusalem, IL 9711025

Tel: +970 2 22 19 800
Fax: +970 2 22 20 127
IL Tel: +972 73 381 6560

info@royal.ps
www.royal.ps



CUSTOMER SERVICE
1700 900 300