



WINTER

CATALOGUE



ROYAL GROUP
TRUST CO.

Beyond Creativity
Stylish, Elegant, Innovation



NEON HEATERS

2+2 Black Heater

235-20605 [®]

Specifications

- 4 Tubes.
- Special color.
- Safety tip over switch.
- Long and equably heating.
- Voltage: 220~240v/50Hz, 2000W.



2000W



4 Heaters



Safety





NEON HEATERS



2+2 Grey Heater

235-20606[®]

Specifications

- 4 Tubes.
- Safety tip over switch.
- Long and equably heating.
- Voltage: 220~240v/50Hz, 2000W.



2000W



4 Heaters



Safety



2+2 Purple Heater

235-20600[®]

Specifications

- 4 Tubes.
- Safety tip over switch.
- Long and equably heating.
- Voltage: 220~240v/50Hz, 2000W.



2000W



4 Heaters



Safety





NEON HEATERS



2+2 Black Mini Heater

235-20107 *

Specifications

- 4 Tubes.
- 4 Castors.
- Safety tip over switch.
- Voltage: 220~240v/50Hz, 1600W.



1800W



4 Heaters



Safety



2+2 Silver Mini Heater

235-20400 *

Specifications

- 4 Tubes.
- 4 Castors.
- Safety tip over switch.
- Voltage: 220~240v/50Hz, 2000W.



2000W



4 Heaters



Safety



Cozy *Moments*





NEON HEATERS

Elegant Heater

235-20220 ©

Specifications

- 4 Tubes.
- Auto tip - over protection.
- 2 Heats settings: 1200W/2400W.
- Voltage: 220~240v/50Hz, 2400W.



2400W



4 Heaters



Safety





NEON HEATERS



40 QP

3+1 White Heater

235-20405 *

Specifications

- 4 Castors.
- 4 Quartz tubes.
- Safety tip-over switch.
- Voltage: 220~240v/50Hz 2000W.



2000W



3+1
Heater



Safety



24 QP

4+2 Warm Heater

235-20620 *

Specifications

- 6 Quartz heating elements (2 top tubes + 4 front tubes).
- Fan.
- Safety grill.
- Safety switch.
- 3 Heating sets.
- Thermostat control.
- Good quality wheels.
- Voltage: 230~240v/50Hz 2400W.



2400W



4+2
Heater



Fan



Safety





QUARTZ HEATERS



40^{QP}

Comfort Plus Heater

235-20481[®]

Specifications

- 6 Quartz heating elements (top tubes 2 + front tubes 4).
- 4 Heating sets.
- Cool touch cabinet.
- Safety tip-over switch.
- Voltage: 220~240v/50Hz 2400W.



2400W



4+2
Heaters



Safety



56^{QP}

Comfort Heater

235-20470[®]

Specifications

- 5 Quartz heating elements. (top tubes 2 + front tubes 3).
- 3 Heating sets.
- Safety switch.
- Thermostat control.
- Good quality wheels.
- Voltage: 230~240v/50Hz 2000W.



2000W



3+2
Heaters



Safety





HALOGEN HEATER

Halogen Heater

235-20106 [®]

Specifications

- 3 Halogen tubes.
- 3 Heating settings, 400/800/1200W.
- Safety tip-over switch.
- Voltage: 220~240v/50Hz, 1200W.



1200W



3 Heaters



Safety



40^{OP}






NEON HEATERS

Quartz Tube Heater

87-6310

64^{QP}



2000W



1 Heater



Safety

Specifications:


- One power setting 2000W .
- Adjustable thermostat control.
- Aluminium housing and plastic cover.
- Wall-mounted infrared heater
- When installation is required.
- Distance from the ground 180cm above.
- Distance from the ceiling 50cm above.
- Voltage: 220 - 240V, ~ 50 / 60 Hz, 2000W.



Thermo Tube Heater

235-21125

90^{QP}



2000W



1 Heater



Safety

Specifications:

- Golden tube.
- IP65.
- No LED light.
- High rated aluminum reflector.
- 3 setting power : 750W/1500W/ 2000W.
- Anodized extruded aluminum alloy housing.
- Mechanical rocker switch & remote control.
- Voltage: 220 - 240V, ~ 50 / 60 Hz, 2000W.




Bathroom Heater

235-21045

162^{QP}

9^{QC}



1200W



2 Heaters



Safety

Specifications:

- SII Plug.
- 1 Neon tube.
- Safety tip over switch.
- Water splash proof IP34.
- Voltage: 220~240v/50Hz, 600/1200W.





STANDS FOR HEATERS



Cross Stand

Adjustable

235-21100

Specifications

- Aluminum stand.
- Height from (110-180) cm.



Tripod Stand

Adjustable

235-21110

Specifications

- Aluminum stand.
- Height from (110-180) cm.





CARBON HEATERS

Lantern Carbon Heater

235-20215

Specifications

- Carbon tubes 2.
- Heating 2 settings.
- Safety tip-over switch with handle.
- Voltage: 220~240V/50Hz, 1000/2000W.



2000W



2 Heaters



Safety





CARBON HEATERS



Carbon Tube Heater

235-22110

Specifications

- Remote Control.
- Minimal assembly.
- Power settings 1000-2000W.
- Infrared heating technique.
- Suitable for room size up to 35m2.
- Voltage: 220-240V,50Hz.



2000W



1 Heater



Safety



Remote Control



Carbon Tube Heater

235-22100[®]

Specifications

- IP34.
- Handle.
- Tip over switch.
- Carbon fiber tube.
- Two power settings.
- Oscillation function.
- Voltage: 220- 240V,50Hz 1200W.



1200W



1 Heater



Safety





CERAMIC HEATERS



75^{QP}

Ceramic Heater

235-20110[®]

Specifications

- 3 Ceramic heating elements.
- 3 Heating sets.
- Safety switch.
- Safty grill.
- Handle to carry.
- Voltage: 230~240v/50Hz 2100W.



2100W



3 Heaters



Safety



80^{QP}

4^{QC}

Ceramic Mini Heater

235-20108[®]

Specifications

- 2 Ceramic tubes.
- 2 Heating settings.
- Safety tip-over switch.
- Voltage: 220~240v/50Hz 2000W.



2000W



2 Heaters



Safety

Warmer *Winter*





AIR HEATERS



48 ^{QP}

Convection Heater

235-31120 [⊗]

Specifications

- Freestanding.
- Indicator light.
- 3 Heating settings.
- Rotary power switch.
- Safety thermal cutout.
- Voltage: 220~240V/50Hz, 2000W.



2000W



Turbo Fan



Safety



180 ^{QP}

6 ^{QC}

Spreader Heater

235-31110 [⊗]

Specifications

- 2 Heating sets.
- Overheat protection.
- adjustable thermostat.
- Voltage: 220~240v/50Hz, 2000W.



2000W




2 Sets



Safety



Wonderous
Warm





OIL RADIATORS

Digital Oil Radiator

235-30135 ©

Specifications

- 13 Fins.
- Black color.
- Sensor touch control.
- Over heat protection.
- Large heating surface.
- Castors for easy moving.
- Voltage: 220~240V, 50/60Hz, 2500W.



2500W



Remote Control



13 Fins



Safety



Remote Control





OIL RADIATORS



42^{QP}

Mechanical Oil Radiator

235-30105[®]

Specifications

- 9 Fins.
- Black color.
- Panel oil heater.
- Over heat protection.
- Large heating surface.
- Castors for easy moving.
- Voltage: 220~240v, 50/60Hz, 2000W.



2000W



9 Fins



Safety



33^{QP}

Oil Radiator

235-30130[®]

Specifications

- 13 Fins.
- 3 power settings
- clothes rack
- humidity box
- Over heat protection
- Large heating surface
- Castors for easy moving.
- Voltage: 220~240v, 50/60Hz, 2600W.



2600W



13 Fins



Safety





BLANKETS HEATER



Single Blanket Heater

235-50110 [®]

Specifications

- 100% polyester.
- Size: 160x80cm.
- 3 Heating settings.
- Detachable controller.
- Overheating protection.
- Voltage: 220~240v/50Hz, 60W.



60W



3 Heaters



Safety



Double Blanket Heater

235-50210 [®]

Specifications

- 100% polyester.
- Size: 160x140cm.
- 3 Heating settings.
- Detachable controller.
- Overheating protection.
- Voltage: 220~240v/50Hz, 60x2W.



60x2W



3 Heaters



Safety



BLANKETS HEATER



Single Blanket

With Timer Heater

235-50120[®]

Specifications

- 100% polyester.
- Size: 160x80cm.
- Detachable controller.
- 5 temperature settings.
- Led-100D controller 1-5.
- Overheating protection.
- 1-10 hours timer function.
- Voltage: 230V~/50Hz, 60W.



180^{QP} 12^{QC}



60W



5 Heaters



Safety



Double Blanket

With Timer Heater

235-50220[®]

Specifications

- 100% polyester.
- Size: 160x140cm.
- Detachable controller.
- 5 temperature settings.
- Led-100D controller 1-5.
- Overheating protection.
- 1-10 hours timer function.
- Voltage: 230V~/50Hz, 60x2W.



120^{QP} 6^{QC}



60x2W



5 Heaters



Safety



ELECTRIC WATER HEATERS

Electric Water Heater

230-34100

Specifications

- Electric Current: 27-0A.
- LED temperature display.
- Waterproof Degree: IPX4.
- Rated water flow: 6-2 Liter/min.
- Stainless steel heating element.
- Hydraulic Pressure: 0.6-0.02 MPa.
- Over Temperature protection: 55°C.
- Tempered glass panel material + ABS.
- Voltage: 230V~, 60/50Hz, 6000W.



Up to
6000W




2-6
Liters



Led
Display



Safety





GAS WATER HEATERS



Gas Water Heater

230-34200

Specifications

- Economic.
- Elegant design.
- Anti-freezing device.
- Flame out protection.
- Water volume regulator.
- Water regulating device.
- Over pressure protection.
- Water gas leakage safety.



6 Liters



Economic



Safety



Gas Water Heater

230-34220

Specifications

- Economic.
- Elegant design.
- Anti-freezing device.
- Flame out protection.
- Water volume regulator.
- Water regulating device.
- Over pressure protection.
- Water gas leakage safety.



12 Liters



Economic



Safety





Cozy
Retreat



GAS & ELECTRICAL HEATERS

Gas Heater with Fireplace

230-31119

Specifications

- 3 Heats settings controlled.
- Gas Power: 1.3 - 4.2 KW.
- Fan Power: 1400W.
- Flame Power: 10W.
- Flameout Protection.
- Metal house, ceramic burn.
- Voltage: 220~240V, 50/60Hz, 1400W.



LPG



3 Gas & 2 Electric Heaters



Safety





GAS & ELECTRICAL HEATERS



18^{QP}

Super Gas Heater

230-31115

Specifications

- Gas power: 1.3 - 4.2 KW.
- Pluser ignition with battery.
- Loading quantity: 540/40' Hq.
- Gas with anti-tilt safety device.
- ODS (Oxygen Depletion Sensor).
- Back space for gas bottle, 8-15 KG.
- Electric Power: 220~240v, 50/60Hz, 400W.



LPG



3+2
Gas & Electric



Safety



18^{QP}

Gas Plus Heater

230-31120

Specifications

- Gas power: 1.3 - 4.2 KW.
- Radiant heating system.
- High thermal efficiency
- Piezoelectric ignition.
- Back space for gas bottle, 8-15 KG.
- Equipped with oxygen depletion system & flame failure device.
- Electric Power: 220~240v, 50/60Hz.



LPG



3+2
Gas & Electric



Safety



GAS HEATERS



18^{QP}

Radiant 4 Gas Heater

230-31210

Specifications

- 4 Radiant.
- Curve phase.
- ODS anti tilt safety device.
- Pulsar ignition with battery.



LPG



4 Heaters



Safety



18^{QP}

Radiant 3 Gas Heater

230-31205

Specifications

- 3 Radiant.
- Electric switch.
- ODS anti tilt safety device.
- Pulsar ignition with battery.



LPG



3 Heaters



Safety



GAS HEATERS



18^{CP}

Normal Gas Heater

230-31110

Specifications

- 3 Radiant
- ODS anti tilt safety device.
- Pulsar ignition with battery.



LPG



3 Heaters



Safety



45^{CP}

Camping Gas Heater & Cooker

230-31010

Specifications

- 1 Radiant.
- Area 8-12 m².
- Heating capacity: 3.6 KW.
- Gas consumption. <0.13 m²/hr.



LPG



1 Heater



Safety



GAS HEATERS



20^{QP}

Pyramid Gas Heater

230-32411

Specifications

- Total Height: 2230mm.
- Reflector: 465x465x47(H)mm.
- Lower Support: 880mm*4pcs.
- Upper Support: 1320mm*4pcs.
- Glass tube: Dia.1290*90mm.
- Base: 530x530mm.
- Gas Power: 13KW; Flux: 945g/hr.
- N.W. 22kgs, G.W.: 26 Kgs.
- Product Size: 530x530x2230mm.



LPG



1 Heater



Safety



20^{QP}

Pyramid Gas Heater

230-32410

Specifications

- Total Height: 2230mm.
- Reflector: 465x465x47(H)mm.
- Lower Support: 880mm*4pcs.
- Upper Support: 1320mm*4pcs.
- Glass tube: Dia.1290*90mm.
- Base: 530x530mm.
- Gas Power: 13KW; Flux: 945g/hr.
- N.W. 22kgs, G.W.: 26 Kgs.
- Product Size: 530x530x2230mm.




LPG



1 Heater



Safety



Heat you can
TRUST



40^{CP}

Electric Heater

285-18110[®]

Specifications

- 5 Quartz tubes.
- 3 Heating sets.
- Safety tip-over switch.
- Adjustable thermostat.
- Humidifier function.
- Voltage: 220~240v/50Hz 2400W.



2400W



5 Heaters



Safety



72^{CP}

Quartz Mini Heater

285-18116[®]

Specifications

- 4 Heating elements.
- Good quality wheels.
- 2 Top tubes + 2 front tubes.
- Safety switch.
- 220-240~50/60Hz , 2000W.



2000W




4 Heaters



Safety





Quartz Heater

285-18120*

Specifications

- 4 Heating elements.
- 2 Heating sets.
- Safety switch.
- 220-240~50/60Hz , 800/1600W.



48 QP



1600W



4 Heaters



Safety

57 QP



Halogen Heater

285-18115*

Specifications

- Tip over switch.
- 4 Halogen tubes.
- 4 Heating settings.
- 70 degree oscillation.
- 220~240v/50Hz, 1600W.



1600W



4 Heaters



Safety

57 QP



Halogen Heater

285-18112*

Specifications

- 3 Heating settings.
- 3 Halogen tubes.
- Safety.
- Voltage: 220~240v/50Hz, 400-1200W.



1200W



3 Heaters



Safety



Ceramic Heater

285-18100 *

Specifications

- 2 Ceramic heating elements.
- Safety switch.
- 220-240~50/60Hz , 1200W.



48 ^{QP}

8 ^{QC}



1200W




2 Heaters



Safety

210 ^{QP}



Wall Heater

285-18105 *

Specifications

- 2 Heating powers: 600/1200W.
- 2 Tubes.
- Pull chain control.
- 220~240v/50Hz, 1200W.



1200W



2 Heaters



Safety

48 ^{QP}

6 ^{QC}



Fan Heater

285-18150 *

Specifications

- 4 Settings off/fan/low/high.
- 2 Heat settings 1000W/2000W.
- Safety, overheat protection.
- 220~240v/50Hz, 1000-2000W.



2000W



2 Heaters



Safety


Contact us

Factory Address:
P.O.Box 258 Al-Rameh Suburb
Hebron, Palestine P7190117

Mailing Address:
P.O.Box 51841
Jerusalem, IL 9711025

Tel: +970 2 22 19 800
PS Tel: +970 597 808 209
IL Tel: +972 52 457 4324

info@royal.ps
www.royal.ps



CUSTOMER SERVICE
1700 900 300